

**FORMAT FOR THE PRESENTATION OF THE RESULT OF
DELIBERATE RELEASE INTO THE ENVIRONMENT OF
GENETICALLY MODIFIED HIGHER PLANTS
IN ACCORDANCE WITH ARTICLE 10 OF DIRECTIVE 2001/18/EC**

1 GENERAL INFORMATION

1.1 European notification number: B/ES/07/12

1.2 Member State of notification : Spain

1.3 Date of consent and consent number : February 14th 2007

2 report status

2.1 Please indicate whether, according to Article 3 of the present Decision, the current report is :

- the final report

- a ~~post-release monitoring report~~

——— ~~final~~ —— intermediary

3 Characteristics of the release

3.1 Scientific name of the recipient organism : *Zea mays*

3.2 Transformation event(s) (acronym(s) or vectors¹ used (if transformation event identity not available): NK603xMON810

3.3 Unique identifier, if available : MON-ØØ6Ø3-6xMON-ØØ81Ø-6

3.4 Please provide the following information as well as the field(s) layout :

¹ In the case of small-scale field trials where several lines may be tested, the vectors used should be mentioned, which gives insight into the introduced traits and/or genetic elements. In the case of large®-scale trials, the number of events notified is limited to only one or a few events.

Geographical location(s) (administrative region and, where appropriate, grid reference)	Size of the release site(s) (²) (m²)	Identity (³) and approximate number of GM higher plants per event actually released (number of seeds/plants per m²)	Duration of the release(s) (from ... (day/month/year... until... (d/m/y)
Los Palacios- Villafranca Sevilla (Andalucía)	- Total surface of the release: 1944 m ² - NK603xMON810 maize area: 32 m ²	Hybrids NK603xMON810: ~ 8.9 plantas/m ²	From: 23/4/07 To: 28/9/07
Marchena Sevilla (Andalucía)	Total surface of the release: 3528 m ² - NK603xMON810 maize area: 79 m ²	Hybrids NK603xMON810: ~ 8.2 plantas/m ²	From: 15/05/07 To: 2/10/07
Zuera Zaragoza (Aragón)	Total surface of the release: 6120 m ² - NK603xMON810 maize area: 254 m ²	Hybrids NK603xMON810: ~ 6.8 plantas/m ²	From 10/05/07 To: 30/10/07
Gurrea de Gállego Huesca (Aragón)	Total surface of the release: 4320 m ² - NK603xMON810 maize area: 159 m ²	Hybrids NK603xMON810: ~ 7.8 plantas/m ²	From: 10/05/07 To: 17/10/07
Tauste Zaragoza (Aragón)	Total surface of the release: 2592 m ² - NK603xMON810 maize area: 32 m ²	Hybrids NK603xMON810: ~ 7.8 plantas/m ²	From: 11/05/07 To: 31/10/07
San Martín de la Vega (Madrid)	Total surface of the release: 1944 m ² - NK603xMON810 maize area: 32 m ²	Hybrids NK603xMON810: ~ 7.9 plantas/m ²	From: 26/04/07 To 29/10/07
La Gineta Albacete (Castilla la Mancha)	Total surface of the release: 4320 m ² - NK603xMON810 maize area: 79 m ²	Hybrids NK603xMON810: ~ 8.3 plantas/m ²	From: 15/05/07 To:15/12/07
Pelabravo Salamanca (Castilla León)	Total surface of the release: 3060 m ² - NK603xMON810 maize area: 191 m ²	Hybrids NK603xMON810: ~ 7.5 plantas/m ²	From: 19/05/07 To: 28/11/07
Toral de los Guzmanes León (Castilla León)	Total surface of the release: 8514 m ² - NK603xMON810 maize area: 445 m ²	Hybrids NK603xMON810: ~ 8 plantas/m ²	From: 17/05/07 To: 29/11/07
Rebollar de los Oteros León (Castilla León)	Total surface of the release: 7290 m ² - NK603xMON810 maize area: 445 m ²	Hybrids NK603xMON810: ~ 7.8 plantas/m ²	From: 17/05/07 To: 30/11/07
Villarrabé Palencia (Castilla León)	Total surface of the release: 5940 m ² - NK603xMON810 maize area: 382 m ²	Hybrids NK603xMON810: ~ 8.2 plantas/m ²	From: 18/05/07 To: 12/12/07
Olmos de Ojeda Palencia (Castilla León)	Total surface of the release: 2430 m ² - NK603xMON810 maize area: 127 m ²	Hybrids NK603xMON810: ~ 7.7 plantas/m ²	From: 18/05/07 To: 21/12/07

San Vicente de Palacio Valladolid (Castilla León)	Total surface of the release: 4320 m ² - NK603xMON810 maize area: 127 m ²	Hybrids NK603xMON810: ~ 8.5 plantas/m ²	From: 8/06/07 To: 24/07/07
Santa Uxía de Ribeira La Coruña (Galicia)	Total surface of the release: 1260 m ² - NK603xMON810 maize area: 64 m ²	Hybrids NK603xMON810: ~ 8.2 plantas/m ²	From: 7/06/07 To: 14/12/07
Mesía La Coruña (Galicia)	Total surface of the release: 3366 m ² - NK603xMON810 maize area: 127 m ²	Hybrids NK603xMON810: ~ 8.8 plantas/m ²	From: 5/06/07 To: 13/12/07
Villalba Lugo (Galicia)	Total surface of the release: 1404 m ² - NK603xMON810 maize area: 64 m ²	Hybrids NK603xMON810: ~ 8 plantas/m ²	From: 5/06/07 To: 10/12/07

⁽²⁾ Specify the size of the GM area and, where appropriate, the size of the non-GM area (e.g. non-GM border)

⁽³⁾ Vectors used

See the trial layout in Annex 1.

4 ANY KIND OF PRODUCT THAT THE NOTIFIER INTENDS TO NOTIFY AT A LATER STAGE

4.1 Does the notifier intend to notify the released transformation event(s) as product(s) for placing on the market under Community legislation(s) at a later stage ?

YES NO (Notified by MONSANTO) Unknown to date

If yes, indicate the country (ies) of notification :

If yes, specify for which use(s) :

- Import
- Cultivation (e.g. ; seed/planting material production)
- Food
- Feed
- Pharmaceutical use (or processing for pharmaceutical use)
- Processing for pour
 - Food use
 - Feed use
 - Industrial use
- Others (specify) :

5 Type(s) OF DELIBERATE RELEASE(S)

Please select the main type(s) (in boxes) as well as subtype(s) of the release(s). In the case of multi-sites, multi-events and/or multi-annual release(s), please provide a general overview of the type(s) of deliberate release(s) which has/have been carried out for the full duration of the consent. Please tick the appropriate type(s)::

5.1 Deliberate release(s) for research purposes

5.2 Deliberate release(s) for development purposes

- Event screening
- Proof of concept ²
- Agronomic performances (e.g. efficiency/selectivity of plant protection product, yield capacity, germination capacity, crop establishment, plant vigour, plant height, susceptibility to climatic factors/diseases, etc.) (specify)
- Altered agronomic properties (e.g. disease/pest/drought/frost-resistance, etc.) (specify)
- Altered qualitative properties (prolonged shelf-life, enhanced nutritional value, modified composition, etc.) (specify)
- Stability of the expression
- Multiplication of lines
- Hybrid vigour study
- Molecular farming³
- Phyto-remediation
- Others : (specify)

5.3 Official testing

- Variety registration on a national variety catalogue
 - DUS (=Distinctness, Uniformity and Stability)
 - VCU (=Value of Cultivation and Use)
- Others : (specify) :

5.4 Herbicide authorization

5.5 Deliberate release(s) for demonstration purposes

5.6 Seeds multiplication

5.7 Deliberate release(s) for biosafety/risk assessment research

- Vertical gene transfer studies
 - Out-crossing with conventional crops
 - Out-crossing with wild relatives

² For example, testing the new trait under environmental conditions.

³ « Molecular farming » means the production of substances (for instance, proteins, pharmaceuticals) by plants, which have been genetically modified for a particular trait. “Molecular farming” could be defined as well as the production of plant-synthesised pharmaceuticals, plant-made pharmaceuticals, plant-based proteins production, etc.

- Horizontal gene transfer studies (gene transfer to micro-organisms)
- Management of volunteers
- Potential changes in persistence or dispersal
- Potential invasiveness
- Potential effects on target organisms
- Potential effects on non-target organisms
- Observation of resistant relativesrésistantes
- Observation of resistant insects
- Others : (describe)

5.8 Other(s) type(s) of deliberate release(s) :

(describe) :

6 METHOD(S), RESULT(S) of the release, management and monitoring MEASURE(S) IN RESPECT OF ANY RISK TO HUMAN HEALTH OR THE ENVIRONMENT

6.1 Risk management measure(s)

Please report the risk-management measures, which have been used to avoid or minimise the spread of the GMO(s) outside the site(s) of release, and in particular those measures :

- *Which were not originally notified in the application,*
- *Which were applied in addition to the conditions in the consent,*
- *Which the consent required only under certain conditions (e.g. dry periods, flooding),*
- *For which the consent allowed the notifier a choice among different measures.*

Tick the examples where appropriate:

6.1.1 Before the sowing/planting :

- Clear labeling of the GM seeds (distinct from other seeds/tubers/etc.) (describe):
Each variety of GM seed is prepared in small paper bags, clearly labeled as containing GM material and with the test entry code comparable to the codes in the protocol. Each small paper bag contained the seed for one plot, and remains closed until planting.
- Segregation during the processing and transport of the seed/planting material (describe the method involved; provide example(s) of containment to prevent spillage during the processing and transport)
Transport of the seed to the field is done during the planting date, in the envelopes where the seed was prepared, ordered according to the trial design, and inside conveniently closed boxes. No process to the seed is done before planting.
- Destruction of superfluous seeds/planting material (describe the method involved).
All the GM seeds were planted. There were not any remaining seed.
- Temporal isolation (specify)
- Rotation (specify the previous crop)

- Other(s): (specify): It was checked that the isolation of the plot was longer than established in the authorization (at least 200 m to any other maize crop)

6.1.2 *During the sowing/planting activities :*

- Method of sowing/planting (describe)

Seeds were planted with a special sowing machine designed for micro-plot testing which allows an easy cleaning of the remaining seeds and avoids any mixture of seeds.

- Emptying and cleaning of the sowing machinery on the field of release.

At the end of the individual plot sowing, the remaining seeds in the machine (if any) were sown at the end of the plot. That way, all the seeds intended to be planted in that plot, were planted in the surface limited for that purpose. Once the sowing was finished at each location the planting equipment was carefully cleaned, to avoid that any seed could go out of the plot where the trials were sown.

- Segregation during the sowing (provide example of containment to prevent spillage during the sowing/planting).

As the seeds came to the field in individual envelopes per plot, it did not occur any seed mixing, and each envelope was opened only after the previous plot was planted and the machine was cleaned.

- Other(s) : (specify):

Nobody out of the company got access to the experimental seeds and no seed returned to the facilities, as all the seeds were sown in the field.

6.1.3 *During the period of release :*

- Isolation distance (x meters)

- From sexually compatible commercial plant species

An isolation distance of at least 200 m was kept from GM trials to any other maize crops

- From sexually compatible wild relatives

Not applicable, maize has not any sexually compatible relatives in Europe

- Border rows (with the same crop or a different one, with a non-transgenic crop, x meters, etc)

At least four border rows were seeded around the whole trial. The seed used as a border was a non-transgenic commercially available hybrid of similar relative maturity. At the end of the release, these non-GM rows were destroyed like the rest of the plants in the trial.

- Cage/net/fence/signpost (specify): In the location of La Gineta (Albacete) in Castilla la Mancha, all the plot where the trial was carried out had a fence that protected the trial against predators damage. In the locations of Gurrea de Gállego (Huesca) and Tauste (Zaragoza) in Aragon, all the plot where the trial was carried out was surrounded by a fence to protect the trial against predators damage.

- Pollen trap (specify): At least four border rows were seeded around the whole trial, with a non-transgenic commercially available hybrid of similar relative maturity to create a pollen trap. At the end of the release, these non-GM rows were destroyed like the rest of the trial.

- Removal of GM inflorescences before flowering (indicate the frequency of removal)

- Other(s) : (specify): A representative of the “Ministerio de Agricultura Pesca y Alimentación” visited together with a company’s personnel during the period of July once the plants have grown enough to check the compliance of the needed measures

for the release of the GMOs in the locations of Marchena (Sevilla), Los Palacios-Villafranca (Sevilla), Zuera (Zaragoza), Gurrea de Gállego (Huesca), Tauste (Zaragoza), La Gineta (Albacete), San Martín de la Vega (Madrid), Pelabravo (Salamanca), Toral de los Guzmanes (León), Rebollar de los Oteros (León), Villarrabé (Palencia), Olmos de Ojeda (Palencia), San Vicente del Palacio (Valladolid), Mesía (La Coruña), Santa Uxía de Ribeira (La Coruña), and Villalba (Lugo).

6.1.4 *At the end of the release :*

- Harvest/destruction methods (of crop or part of it) / other means (e.g.: sampling) (describe)

In the locations of Marchena (Sevilla), Los Palacios-Villafranca (Sevilla), Zuera (Zaragoza), Gurrea de Gállego (Huesca), Tauste (Zaragoza), San Martín de la Vega (Madrid), Pelabravo (Salamanca), Toral de los Guzmanes (León), Rebollar de los Oteros (León), Villarrabé (Palencia), Olmos de Ojeda (Palencia), Mesía (La Coruña), and Santa Uxía de Ribeira (La Coruña), each micro-plot in the trial was harvested using a special combine designed to harvest micro-plots trials for agronomic value, that provides the yield in kilograms and the percentage of moisture of the grain for each individual plot. The grain, as all the remaining plant materials were destroyed by breaking up by several chopping and incorporated in the soil by deep plough.

In the location of La Gineta (Albacete), each micro-plot in the trial was harvested using a special combine designed to harvest micro-plots trials for agronomic value, that provides the yield in kilograms, and the percentage of moisture of the grain for each individual plot. The grain was buried in a ditch made with an excavator in the soil deeper than 1 meter, and the remaining plant material was destroyed by breaking up by several chopping, and incorporated into the soil by deep plough.

- Harvest / destruction before the ripeness of the seeds

In the location San Vicente del Palacio (Valladolid), the trial was destroyed on July 24th, before the plants reached flowering stage, incorporating into the soil all the plant materials by several disk plough. The reason to proceed with the destruction was the loss of the border rows planted with non-GM maize of the same relative maturities that the varieties included in the trial.

In the location Villalba (Lugo), the trial was destroyed on December 10th, by breaking up all the plant material by several chopping, and incorporated in the soil by deep plough. The reason to proceed with the destruction was the premature death of the plants, before the grain reached physiological maturity, due to frost, which did not allow the ripeness of the seed.

- Effective removal of plant parts
- Segregated storage and transport of crop/waste (provide examples of containment to prevent spillage of collected seeds/crops/wastes)
- Clean up of machinery on the release site. All the machinery used was cleaned on the release site.
- Destination of the waste, treatment of waste/ surplus yield/plant residues (describe)
Waste plants were destroyed on the release site by chopping and were incorporated into the soil by ploughing. In addition, at La Gineta (Albacete), the grain was destroyed by burying it in a hole digged at the release site.
- Post-harvest treatment and cultivation measures on the release site (describe the method for preparing and managing the release site at the end of the release, including cultivation practices)

Trials area has been chopped several times to destroy the plant material and then ploughed to incorporate all the plant waste into the soil

- Other(s) : (describe): A representative of the “Ministerio de Agricultura Pesca y Alimentación” attended the final destruction in the locations Marchena (Sevilla), Los Palacios-Villafranca (Sevilla), Zuera (Zaragoza), Gurrea de Gállego (Huesca), Tauste (Zaragoza), La Gineta (Albacete), Pelabravo (Salamanca), Toral de los Guzmanes (León), Rebollar de los Oteros (León), Villarrabé (Palencia), Olmos de Ojeda (Palencia), Mesía (La Coruña), Santa Uxía de Ribeira (La Coruña), and checked the destruction on the sites of San Vicente del Palacio (Valladolid) and Villalba (Lugo), and they wrote a minute where the correct field destruction was certified.

6.1.5 *Post-harvest measures:*

Please indicate which measures were taken on the release site after harvest:

Frequency of visits (average) Approximately every two months

- Subsequent crop (specify)

The following crop will be any crop different from commercial maize

- Crop rotation (specify)

The following year will be any crop different from commercial maize

- Fallow/no crop (specify)

- Superficial soil work / no deep ploughing

- False-sowing beds

- Control of volunteers (specify intervals and duration).

The release site will be visited during the next season, and, as the main concerns are to do a proper control of the volunteers in the plot, and being sure that the farmer will not sow commercial maize on that site, the visits will be done during the months close to the maize sowing time in each area (mid-February, soil preparation; mid-May, maize sowing time). Later, during the second half of June another visit will be done in order to check the control of volunteers. If needed, any undesired plant emerged would be destroyed by means of machines, or by an appropriate herbicide treatment.

- Appropriate chemical treatment(s) (specify)

- Appropriate soil treatment(s) (specify)

- Other(s) (specify)

6.1.6 *Other(s) measure(s) : (describe)*

6.1.7 *Emergency plan(s)*

Indicate :

a) If the release proceeded as planned :

- Yes, except in San Vicente del Palacio (Valladolid)
- ~~No (describe for which reason, e.g. vandalism, climatic conditions, etc.)~~

b) if measures according to the emergency plan(s) (Article 6(2)(a)(vi) and Annex III.B of Directive 2001/18/EC) had to be taken

- ~~No~~

- Yes (describe): In San Vicente del Palacio (Valladolid) because of a lack of border rows, the trial was destroyed before flowering.

6.2 Post-release monitoring measures

Due to the fact that the current report format can be used for the final and post-release monitoring report(s), the notifier is asked to clearly make the difference between both types of report through this section 2 of Chapter 6. Please indicate whether

- **The post-release monitoring plan will start** (in the case of a final report, after the last harvest of the GM higher plants),
- **The post-release monitoring plan is ongoing** (in the case of an intermediary post-release monitoring report),
- **The post-release monitoring plan has been completed** (in the case of the final post-release monitoring report)
- **No post-release monitoring plan has to be fulfilled.**

The results of this monitoring are meant to confirm or invalidate earlier assumptions in the risk assessment.

According to the aforementioned cases, please indicate which monitoring measure(s) will be/are/were taken and where (on the release site/near the site (e.g. on fields edges)). Please be aware that all post-release monitoring measures taken during the whole post-release period shall be indicated here.

The destruction of the trial was made on October 2th in Marchena (Sevilla), September 28th in Los Palacios-Villafranca (Sevilla), October 30th in Zuera (Zaragoza), October 17th in Gurra de Gállego (Huesca), October 31th in Tauste (Zaragoza), October 29th in San Martín de la Vega (Madrid), December 5th in La Gineta (Albacete), November 28th in Pelabravo (Salamanca), July 24th in San Vicente de Palacio (Valladolid), November 29th in Toral de los Guzmanes (León), November 30th in Rebollar de los Oteros (León), December 12th in Villarrabé (Palencia), December 11th in Olmos de Ojeda (Palencia), December 13th in Mesía (La Coruña), December 14th in Santa Uxía de Ribeira (La Coruña), and December 10th in Villalba (Lugo). The monitoring plan after the release is in progress. The trial sites will be visited regularly for one year in order to check the presence of volunteers. In that case, they would be controlled by means of machines, or an appropriate herbicide treatment. There were not volunteers in the trial sites so far. No commercial maize will be sown in those sites during 2008.

Specify :

- Monitoring measures within site

Duration: one year after the end of the release.

Frequency of visits (average) :approximately every two months

- ~~Observation of resistant relatives~~
- ~~Observation of resistant insects~~
- Control of volunteers (specify intervals and duration) Regular visits, more frequent if some volunteers are detected and destroyed.
- ~~Monitoring of gene flow (specify)~~
- ~~Appropriate chemical treatment(s) and/or soil treatment(s)~~
- ~~Others (specify)~~

- Monitoring measures of adjacent areas: Not applicable

Duration

Frequency of visits (average) :

Area monitored :

- Observation of resistant relatives
- Observation of resistant insects
- Control of volunteers and/or monitoring of feral populations (specify intervals and duration)
- Monitoring of gene flow (specify)
- Appropriate chemical treatment(s) and/or soil treatment(s)
- Others (specify)

6.3 Plan for observation(s)/methods(s) involved

In this section the observation plan and the methods used to collect the effects which have to be reported under the next section (section 6.4) need to be specified. Any amendments or modifications to the plan as proposed in the application and the SNIF⁴ part B need to be specified in detail.

During the time between the notification and the final report submission, new scientific insights or methods may be developed which cause a change in the methods used. In particular these modifications need to be specified under this section.

The observations were and will be done visually.

6.4 Observed effect(s)

6.4.1 Explanatory note

All results of the deliberate release(s) in respect of any risk for human health or the environment shall be stated, without prejudice to whether the results indicate that any risk is increased, reduced or remains unchanged.

The main objectives of the information given in this section are :

- To confirm or invalidate any assumption regarding the occurrence and impact of potential effect(s) of the GMO(s) which was/were identified in the environmental risk assessment,
- To identify effect(s) of the GMO(s) which was/were not anticipated in the environmental risk assessment.

The observed **effect(s)/interaction(s)** of the GMO(s)

- With respect to any risk to human health,
- With respect to any risk to the environment

Shall be reported under this section.

Particular attention shall be drawn to unexpected and unintended effect(s).

Indications as regards the effects, that the notifier may have to report, are provided hereunder. The effects have obviously to be considered in the light of the crop, the new trait, the

⁴ Summary notification information format (=SNIF)

receiving environment as well as the conclusions of the environmental risk assessment, which is carried out on a case-by-case basis.

In order to structure the information and to facilitate and efficient search within the given information, the notifier shall use, as far as possible, specific keywords to fill in the text fields under Chapter 6, especially sections 6.4.2, 6.4.3 and 6.4.4. A most updated list of those specific keywords is available on the Internet at : <http://gmoinfo.jrc.it>.

6.4.2 *Expected effect(s)*

This section concerns « expected effects », that is to say, potential effects which were already identified in the environmental risk assessment of the notification and could therefore be anticipated.

Notifiers should supply data from the deliberate release(s) which validate the assumptions made in the environmental risk assessment.

The potential reduction in the control of certain lepidopteran insects, such as the European corn borer (*Ostrinia nubilalis*), if the target insect pests develop resistance to the insecticidal protein as expressed in the genetically modified NK603xMON810 maize, has been identified in the environmental risk assessment of the notification, as the only potential risk resulting from the interaction between the genetically modified maize and the target organisms.

In the trials carried out, no loss of efficacy of NK603xMON810 maize plants on European corn borer was detected. Concretely, no damages caused by the European corn borer were observed on NK603xMON810 maize plants, which lead to the conclusion that there was no developed resistance in the target lepidopteran insects. This confirms that, in the case of the trials carried out, the likelihood of the occurrence of this potential identified adverse effect was negligible, taking into account the small surface occupied by the trials.

6.4.3 *Unexpected effect(s)*⁵

“*Unexpected effects*” refer to effects on human health or the environment which were not foreseen or identified in the environmental risk assessment of the notification. This part of the report should contain any information with regard to unexpected effects or observations relevant for the initial environmental risk assessment. In case of any observed unexpected effects or observations, this section should be as detailed as possible to allow a proper interpretation of the data.

Neither damage nor any kind of negative effects on human health or environment were observed.

6.4.4 *Other information*

⁵ Without prejudice to Article 8 OF Directive 2001/18/EC as regards handling of modifications or new information.

Notifiers are encouraged to supply information, which is outside the scope of the notification but which might be relevant to the field trials in question. This may also include observations of beneficial effects.

Nothing

7 Conclusion

In this chapter, the notifier should specify the conclusions drawn and the measures taken or to be taken on the basis of the results of the release with regard to further release(s) and where appropriate, make reference to any kind of product the notifier intends to notify at a later stage.

In the case of the release, all the control measures were taken to avoid the spreading of pollen and grains of the genetically modified maize plants.

No negative effect of any kind has been observed that has or could have effects on the human health or the environment.


No risk for the human health or the environment has been identified as a result of the deliberate release of the genetically modified maize in these trials.

The proposed measures in the notification and the control measures taken seem to be consistent with the aim of assuring the environment and human health safety.

DATE : January 9th, 2008

ANNEX 1...Field Layout


Location: Los Palacios-Villafranca (Sevilla)



Border: 8 rows

ANNEX 1....Field Layout


Location: Marchena(Sevilla)



Border: 8 rows

ANNEX 1: Field Layout


Location: Zuera (Zaragoza)



Border: 8 rows

ANNEX 1: Field Layout


Location: Gurrea de Gállego (Huesca)



Border: 8 rows

ANNEX 1....Field Layout


Location: Tauste (Zaragoza)



Border: 8rows

ANNEX 1....Field Layout


Location: San Martín de la Vega (Madrid)



Border: 8 rows

ANNEX 1....Field Layout


Location: La Gineta (Albacete)



Border: 8 rows

ANNEX 1....Field Layout


Location: Pelabravo (Salamanca)



Border: at least 4 rows

ANNEX 1....Field Layout


Location: Toral de los Guzmanes (León)



Border: 8 rows

ANNEX 1....Field Layout


Location: Rebollar de los Oteros (León)



Border: 8 rows

ANNEX 1....Field Layout


Location: Villarrabé (Palencia)



Border: 8 rows

ANNEX 1....Field Layout


Location: Olmos de Ojeda (Palencia)



Border: 8 rows

ANNEX 1....Field Layout


Location: San Vicente de Palacio (Valladolid)



Border: 4 rows

ANNEX 1....Field Layout


Location: Santa Uxía de Ribeira (La Coruña)



Border: 4 rows

ANNEX 1....Field Layout


Localidad: Mesía (La Coruña)



Border: 8 rows

ANNEX 1....Field Layout

Location: Villalba (Lugo)



Border: 8 rows