# FORMAT FOR THE PRESENTATION OF THE RESULT OF DELIBERATE RELEASE INTO THE ENVIRONMENT OF GENETICALLY MODIFIED HIGHER PLANTS IN ACCORDANCE WITH ARTICLE 10 OF DIRECTIVE 2001/18/EC

#### 1 GENERAL INFORMATION

1.1 European notification number: B/ES/06/16

1.2 Member State of notification: Spain

1.3 Date of consent and consent number: March 6<sup>th</sup> 2006

#### 2 report status

- 2.1 Please indicate whether, according to Article 3 of the present Decision, the current report is:
- the final report
- a post-release monitoring report

- final - intermediary

#### 3 Characteristics of the release

- 3.1 Scientific name of the recipient organism : Zea mays
- 3.2 Transformation event(s) (acronym(s) or vectors<sup>1</sup> used (if transformation event identity not available): 1507
- 3.3 Unique identifier, if available: DAS-Ø15Ø7-1
- 3.4 Please provide the following information as well as the field(s) layout:

-

<sup>&</sup>lt;sup>1</sup> In the case of small-scale field trials where several lines may be tested, the vectors used should be mentioned, which gives insight into the introduced traits and/or genetic elements. In the case of large®-scale trials, the number of events notified is limited to only one or a few events.

Geographical location(s) (administrative region and, where appropriate, grid reference)	Size of the release site(s) (2) (m2)	Identity (3) and approximate number of GM higher plants per event actually released (number of seeds/plants per m2)	Duration of the release(s) (from (day/month/year until (d/m/y)
La Rinconada Sevilla (Andalucía)	- Total surface of the release: 1782 m <sup>2</sup> - 1507 maize area: 180 m <sup>2</sup>	Hybrids1507: ~ 9 plants/m²	From: 27/4/06 To: 19/9/06
Marchena Sevilla (Andalucía)	Total surface of the release: 3645 m <sup>2</sup> - 1507 maize area: 360 m <sup>2</sup>	Hybrids1507: ~ 8.5 plants/m²	From: 16/05/06 To: 25/09/06
Zuera Zaragoza (Aragón)	Total surface of the release: 4752 m <sup>2</sup> - 1507 maize area: 360 m <sup>2</sup>	Hybrids1507: ~ 8.5 plants/m²	From 8/05/06 To: 1710/06
Gurrea de Gállego Huesca (Aragón)	Total surface of the release: 3654 m <sup>2</sup> - 1507 maize area: 306 m <sup>2</sup>	Hybrids1507: ~ 8.5 plants/m²	From: 6/06/06 To: 30/11/06
Alguaire Lérida (Cataluña)	Total surface of the release: 4050 m <sup>2</sup> - 1507 maize area: 288 m <sup>2</sup>	Hybrids1507: ~ 8 plants/m²	From: 18/05/06 To: 19/10/06
San Martín de la Vega (Madrid))	Total surface of the release: 3420 m <sup>2</sup> - 1507 maize area: 360 m <sup>2</sup>	Hybrids1507: ~ 7 plants/m²	From: 25/04/06 To: 11/10/06
Alpera Albacete (Castilla la Mancha)	Total surface of the release: 2772 m <sup>2</sup> - 1507 maize area: 180 m <sup>2</sup>	Hybrids1507: ~ 8 plants/m²	From: 9/06/06 To:14/12/06
Pelabravo Salamanca (Castilla León)	Total surface of the release: 2754 m <sup>2</sup> - 1507 maize area: 126 m <sup>2</sup>	Hybrids1507: ~ 8 plants/m²	From: 24/05/06 To: 15/11/06
Llamas de la Ribera León (Castilla León)	Total surface of the release: 4140 m <sup>2</sup> - 1507 maize area: 252 m <sup>2</sup>	Hybrids1507: ~ 8 plants/m²	From: 1/06/06 To: 20/12/06
Santa Uxía de Ribeira La Coruña (Galicia)	Total surface of the release: 1620 m <sup>2</sup> - 1507 maize area: 126 m <sup>2</sup>	Hybrids1507: ~ 8 plants/m²	From: 25/05/06 To: 1/11/06
Mesía La Coruña (Galicia)	Total surface of the release: 1620 m <sup>2</sup> - 1507 maize area: 126 m <sup>2</sup>	Hybrids1507: ~ 8 plants/m²	From: 25/05/06 To: 2/11/06

<sup>(2)</sup> Specify the size of the GM area and, where appropriate, the size of the non-GM area (e.g. non-GM border)
(3) Vectors used

4	NOTIFY AT A LATER STAGE	ENDS TO
	4.1 Does the notifier intend to notify the released transformation product(s) for placing on the market under Community legislation stage?	
<b>√</b>	YES (by another juridical entity of the group) $\square$ NO $\square$ Unknown	to date
If :	If yes, indicate the country (ies) of notification: Spain and the Netherlands yes, specify for which use(s):	
	<ul> <li>☑ Import</li> <li>☑ Cultivation (e;g; seed/planting material production)</li> <li>☑ Food</li> <li>☑ Feed</li> <li>☐ Pharmaceutical use (or processing for pharmaceutical use)</li> <li>☑ Processing for pour</li> <li>■ Food use</li> <li>■ Feed use</li> <li>■ Industrial use</li> <li>☑ Others (specify): It will be used like any commercial maize</li> </ul>	
5	Type(s) OF DELIBERATE RELEASE(S)	
F	Please select the main type(s) (in boxes) as well as subtype(s) of the release(s) of multi-sites, multi-events and/or multi-annual release(s), please provide overview of the type(s) of deliberate release(s) which has/have been carried full duration of the consent. Please tick the appropriate type(s)::	le a general
	5.1 Deliberate release(s) for research purposes	
	5.2 Deliberate release(s) for development purposes	
-	Event screening	
	<ul> <li>Proof of concept <sup>2</sup></li> <li>Agronomic performances (e.g. efficiency/selectivity of plant protection p capacity, germination capacity, crop establishment, plant vigour, p susceptibility to climatic factors/diseases, etc.) (specify)</li> <li>Altered agronomic properties (e.g. disease/pest/drought/frost-resistance, etc.)</li> </ul>	olant height,

<sup>&</sup>lt;sup>2</sup> For example, testing the new trait under environmental conditions.

5.3 Official testing  DUS (=Distinctness, Uniformity and Stability)  VCU (=Value of Cultivation and Use)  Others: (specify):  5.4 Herbicide authorization  5.5 Deliberate release(s) for demonstration purposes  5.6 Seeds multiplication  5.7 Deliberate release(s) for biosafety/risk assessment research  Vertical gene transfer studies  Out-crossing with conventional crops  Out-crossing with wild relatives  Horizontal gene transfer studies (gene transfer to micro-organisms)  Management of volunteers  Potential changes in persistence or dispersal  Potential invasiveness  Potential effects on target organisms  Potential effects on non-target organisms  Potential effects on non-target organisms	-	Altered qualitative properties (prolonged shelf-life, enhanced nutritional modified composition, etc.) (specify)  Stability of the expression  Multiplication of lines  Hybrid vigour study  Molecular farming <sup>3</sup> Phyto-remediation  Others: (specify)	value
5.5 Deliberate release(s) for demonstration purposes  5.6 Seeds multiplication  5.7 Deliberate release(s) for biosafety/risk assessment research  - Vertical gene transfer studies  - Out-crossing with conventional crops  - Out-crossing with wild relatives  - Horizontal gene transfer studies (gene transfer to micro-organisms)  - Management of volunteers  - Potential changes in persistence or dispersal  - Potential invasiveness  - Potential effects on target organisms  - Potential effects on non-target organisms	<b>5.</b> 3	<ul> <li>✓ Variety registration on a national variety catalogue</li> <li>DUS (=Distinctness, Uniformity and Stability)</li> <li>VCU (=Value of Cultivation and Use)</li> </ul>	Ø
5.6 Seeds multiplication  5.7 Deliberate release(s) for biosafety/risk assessment research  - Vertical gene transfer studies  ■ Out-crossing with conventional crops ■ Out-crossing with wild relatives  - Horizontal gene transfer studies (gene transfer to micro-organisms)  - Management of volunteers  - Potential changes in persistence or dispersal  - Potential invasiveness  - Potential effects on target organisms  - Potential effects on non-target organisms	<b>5.</b> 4	Herbicide authorization	
5.7 Deliberate release(s) for biosafety/risk assessment research  - Vertical gene transfer studies  ■ Out-crossing with conventional crops ■ Out-crossing with wild relatives  - Horizontal gene transfer studies (gene transfer to micro-organisms)  - Management of volunteers  - Potential changes in persistence or dispersal  - Potential invasiveness  - Potential effects on target organisms  - Potential effects on non-target organisms	5.5	5 Deliberate release(s) for demonstration purposes	
<ul> <li>Vertical gene transfer studies</li> <li>Out-crossing with conventional crops</li> <li>Out-crossing with wild relatives</li> <li>Horizontal gene transfer studies (gene transfer to micro-organisms)</li> <li>Management of volunteers</li> <li>Potential changes in persistence or dispersal</li> <li>Potential invasiveness</li> <li>Potential effects on target organisms</li> <li>Potential effects on non-target organisms</li> </ul>	5.6	5 Seeds multiplication	
<ul> <li>Observation of resistant relativesrésistantes</li> <li>Observation of resistant insects</li> <li>Others: (describe)</li> <li>5.8 Other(s) type(s) of deliberate release(s):</li> </ul>	5 7	7 Deliberate release(s) for biosafety/risk assessment research	
(describe):		Vertical gene transfer studies  Out-crossing with conventional crops Out-crossing with wild relatives  Horizontal gene transfer studies (gene transfer to micro-organisms)  Management of volunteers  Potential changes in persistence or dispersal  Potential invasiveness  Potential effects on target organisms  Potential effects on non-target organisms  Observation of resistant relativesrésistantes  Others: (describe)	

<sup>&</sup>lt;sup>3</sup> « Molecular farming » means the production of substances (for instance, proteins, pharmaceuticals) by plants, which have been genetically modified for a particular trait. "Molecular farming" could be defined as well as the production of plant-synthesised pharmaceuticals, plant-made pharceuticals, plant-based proteins production, etc.

## 6 METHOD(S), RESULT(S) of the release, management and monitoring MEASURE(S) IN RESPECT OF ANY RISK TO HUMAN HEALTH OR THE ENVIRONMENT

#### **6.1 Risk management measure(s)**

Please report the risk-management measures, which have been used to avoid or minimise the spread of the GMO(s) outside the site(s) of release, and in particular those measures:

- Which were not originally notified in the application,
- Which were applied in addition to the conditions in the consent,
- Which the consent required only under certain conditions (e.g. dry periods, flooding),
- For which the consent allowed the notifier a choice among different measures.

*Tick the examples where appropriate:* 

#### 6.1.1 Before the sowing/planting:

- ☑ Clear labeling of the GM seeds (distinct from other seeds/tubers/etc.) (describe)

  Seeds were packed in small paper bags which remained closed until planting. Each paper bag was clearly labeled with the test entry code comparable to the codes in the protocol. Each small paper bag contained the seed for one plot.
- ☑ Segregation during the processing and transport of the seed/planting material (describe the method involved; provide example(s) of containment to prevent spillage during the processing and transport)
  - Transport of the seed to the field is done during the planting date, in the envelopes where the seed was received, ordered according with the trial design, and inside conveniently closed boxes. No process to the seed is done before planting.
- ☑ Destruction of superfluous seeds/planting material (describe the method involved).

  All the GM seeds were planted. There were not any remaining seed.
- □ Temporal isolation (specify)
- □ Rotation (specify the previous crop)
- ☑ Other(s): (specify): It was checked that the isolation of the plot was longer than established in the authorization (at least 200 m to any other maize crop) ......

#### 6.1.2 During the sowing/planting activities:

- ☑ Method of sowing/planting (describe)
  - Seeds were planted with a special sowing machine designed for micro-plot testing which allows an easy cleaning of the remaining seeds and avoids any mixture of seeds.
- ☑ Emptying and cleaning of the sowing machinery on the field of release.

  At the end of the individual plot sowing, the remaining seeds in the machine (if any)
  - were sown at the end of the plot. That way, all the seeds intended to be planted in that plot, were planted in the surface limited for that purpose. Once the sowing was finished in every location the planting equipment was carefully cleaned, to avoid that any seed could go out of the plot where the trials were sown.
- ☑ Segregation during the sowing (provide example of containment to prevent spillage during the sowing/planting).

As the seeds came to the field in individual envelopes per plot, it did not occur any seed mixing, and each envelope was opened only after the previous plot was planted and the machine was cleaned.

#### $\square$ - Other(s) : (specify)

Nobody out of the company got access to the experimental seeds and no seed returned to the facilities, as all the seeds were sown in the field. A representative of the "Ministerio de Agricultura Pesca y Alimentación" was present during the planting in the locations of La Rinconada (Sevilla), Marchena (Sevilla), Zuera (Zaragoza), Alguaire, (Lérida) and San Martín de la Vega (Madrid) and he wrote a minute where is certified the correct seed planting operations.

#### 6.1.3 During the period of release:

- ☑ Isolation distance (x meters)
  - From sexually compatible commercial plant species We kept an isolation with more than 200 m from any other maize crops..
  - From sexually compatible wild relatives
- ☑ Border rows (with the same crop or a different one, with a non-transgenic crop, x meters, etc)
  - At least four border rows were seeded around the whole trial. The seed used as a border was a non-transgenic commercially available hybrid of similar relative maturity. At the end of the release, these non-GM rows were destroyed like the rest of the plants in the trial.
- ☑ Cage/net/fence/signpost (specify): In the location of Alpera (Albacete) in Castilla la Mancha, all the plot where the trial was carried out was surrounded with a fence to protect the trial against predators damage.
- ☑ Pollen trap (specify): At least four border rows were seeded around the whole trial, with a non-transgenic commercially available hybrid of similar relative maturity to create a pollen trap. At the end of the release, these non-GM rows were destroyed like the rest of the trial.
- □ Removal of GM inflorescences before flowering (indicate the frequency of removal)
- $\square$  Other(s) : (specify)

#### 6.1.4 At the end of the release:

☑ - Harvest/destruction methods (of crop or part of it) / other means (e.g.: sampling) (describe)

In the locations of Marchena (Sevilla), Zuera (Zaragoza), Gurrea de Gállego (Huesca), Alguaire (Lérida), San Martín de la Vega (Madrid), Alpera (Albacete) and Pelabravo (Salamanca) each micro-plot in the trial was harvested using an special combine designed to harvest micro-plots trials, that provides the yield and the percentage of moisture of the grain for each individual plot. The grain, as all the remaining plant materials were destroyed by breaking up, and incorporated in the soil. The crop remaining material were destroyed by several chopping, and incorporated into the soil by deep plough, except in the location of Alpera, where the incorporation of the remaining material was done with disks. All the remaining plant waste material was incorporated into the soil.

In the location of La Rinconada (Sevilla), each micro-plot in the trial was harvested using a special combine designed to harvest micro-plots trials, that provides the yield and the percentage of moisture of the grain for each individual plot. The grain was

buried in a ditch made with an excavator in the soil deeper than 75 cm, and the remaining plant material was destroyed by breaking up, and incorporated into the soil. The crop remaining material were destroyed by several chopping, and incorporated into the soil by deep plough.

In the locations of Llamas de la Ribera (León), Santa Uxía de Ribeira (La Coruña) and Mesía (La Coruña), each individual plot in the trials was hand harvested, and threshed with a special trialing threshing equipment powered by a tractor. The grain, and all the thresing remaining material was buried in a ditch made with an excavator in the soil, deeper than 75 cm, and the remaining plant material was destroyed by breaking up, and incorporated into the soil. The crop remaining material were destroyed by several chopping, and incorporated into the soil by deep plough

<ul> <li>□ - Harvest / destruction before the ripeness of the seeds</li> <li>□ - Effective removal of plant parts</li> <li>□ - Segregated storage and transport of crop/waste (provide examples of containment to prevent spillage of collected seeds/crops/wastes)</li> <li>☑ - Clean up of machinery on the release site. All the machinery used was cleaned on the release site.</li> <li>☑ - Destination of the waste, treatment of waste/ surplus yield/plant residues (describe) Waste plants were discarded at the trial area for naturally composting.</li> <li>☑ - Post-harvest treatment and cultivation measures on the release site (describe the method for preparing and managing the release site at the end of the release, including cultivation practices)</li> <li>Trials area has been chopped several times to destroy the plant material and then ploughed to incorporate all the plant waste into the soil</li> <li>☑ - Other(s): (describe): A representative of the "Ministerio de Agricultura Pesca y Alimentación" attended to the final destruction in the locations La Rinconada (Sevilla), Marchena (Sevilla), Zuera (Zaragoza), Gurrea de Gállego (Huesca), Alguaire (Lérida), San Martín de la Vega (Madrid), Alpera (Albacete), Santa Uxía de Ribeira (La Coruña) and Mesía (La Coruña) and they wrote a minute where the correct field destruction was</li> </ul>
certified.
6.1.5 Post-harvest measures:
ase indicate which measures were taken on the release site after harvest:  quency of visits (average) Approximately every two months  - Subsequent crop (specify)  The following crop will be any crop different from commercial maize
☑ - Crop rotation (specify)  The following year will be any crop different from commercial maize
□ - Fallow/no crop (specify)
□ - Superficial soil work / no deep ploughing
☐ - False-sowing beds

The release site will be visited during the next season, and, as the main concerns are to do a proper control of the volunteers in the plot, and being sure that the farmer will not sow commercial maize on that site, the visits will be done during the months close to the maize sowing time in each area (mid-February, soil preparation; mid-May, maize sowing time). Later, during the second half of June another visit will be done in order to check the control of volunteers. If needed, any undesired plant emerged would be

☑ - Control of volunteers (specify intervals and duration).

destroyed by means of machines or by a herbicide treatment (other than glufosinate or glyfosate).

- ☐ Appropriate chemical treatment(s) (specify)
- ☐ Appropriate soil treatment(s) (specify)
- $\Box$  Other(s) (specify)
  - 6.1.6 Other(s) measure(s): (describe)
  - 6.1.7 Emergency plan(s)

#### Indicate:

- a) If the release proceeded as planned:
- Yes
- No (describe for which reason, e.g. vandalism, climatic conditions, etc.)

b) if measures according to the emergency plan(s) (Article 6(2)(a)(vi) and Annex III.B of Directive 2001/18/EC) had to be taken

- No
- Yes (describe)

#### **6.2 Post-release monitoring measures**

Due to the fact that the current report format can be used for the final and post-release monitoring report(s), the notifier is asked to clearly make the difference between both types of report through this section 2 of Chapter 6. Please indicate whether

- **The post-release monitoring plan will start** (in the case of a <u>final report</u>, after the last harvest of the GM higher plants),
- **The post-release monitoring plan is ongoing** (in the case of an <u>intermediary post-release monitoring report</u>),
- The post-release monitoring plan has been completed (in the case of the <u>final post-release</u> monitoring report)
- No post-release monitoring plan has to be fulfilled.

The results of this monitoring are meant to confirm or invalidate earlier assumptions in the risk assessment.

According to the aforementioned cases, please indicate which monitoring measure(s) will be/are/were taken and where (on the release site/near the site (e.g. on fields edges)). Please be aware that all post-release monitoring measures taken during the whole post-release period shall be indicated here.

The destruction of the trial was made on September 19<sup>th</sup> in La Rinconada (Sevilla), September 25<sup>th</sup> in Marchena (Sevilla), October 17<sup>th</sup> in Zuera (zaragoza), November 30<sup>th</sup> in Gurrea de Gállego (Huesca), October 19<sup>th</sup> in Alguaire (Lérida), October 11<sup>th</sup> in San Martín de la Vega (Madrid), December 14<sup>th</sup> in Alpera (Albacete), November 15<sup>th</sup> in Pelabravo (Salamanca), December 20<sup>th</sup> in Llamas de la Ribera (León), November 1<sup>st</sup> in Santa Uxía de Ribeira (La Coruña), and November 2<sup>nd</sup> in Mesía (La Coruña). The monitoring plan after the release is in progress. Until December2006 the trial site will be visited regularly in order to check the

presence of volunteers. In that case, they would be controlled by means of machines or a herbicide treatment (other than glufosinate or glyfosate). There were not volunteers in the trial site so far. No commercial maize will be sown in that site during 2007.

#### Specify:

#### ☑- Monitoring measures within site

Duration: from December 2006 to December 2007

Frequency of visits (average) :approximately every two months

- Observation of resistant relatives
- Observation of resistant insects
- Control of volunteers (specify intervals and duration) Regular visits, more frequent if some volunteers are detected and destroyed.
- Monitoring of gene flow (specify)
- Appropriate chemical treatment(s) and/or soil treatment(s)
- Others (specify)
- □- Monitoring measures of adjacent areas: Not applicable

Duration

Frequency of visits (average):

Area monitored:

- Observation of resistant relatives
- Observation of resistant insects
- Control of volunteers and/or monitoring of feral populations (specify intervals and duration)
- Monitoring of gene flow (specify)
- Appropriate chemical treatment(s) and/or soil treatment(s)
- Others (specify)

#### 6.3 Plan for observation(s)/methods(s) involved

In this section the observation plan and the methods used to collect the effects which have to be reported under the next section (section 6.4) need to be specified. Any amendments or modifications to the plan as proposed in the application and the SNIF<sup>4</sup> part B need to be specified in detail.

During the time between the notification and the final report submission, new scientific insights or methods may be developed which cause a change in the methods used. In particular these modifications need to be specified under this section.

The observations were and will be done visually.

#### **6.4** Observed effect(s)

\_

<sup>&</sup>lt;sup>4</sup> Summary notification information format (=SNIF)

#### 6.4.1 Explanatory note

All results of the deliberate release(s) in respect of any risk for human health or the environment shall be stated, without prejudice to whether the results indicate that any risk is increased, reduced or remains unchanged.

The main objectives of the information given in this section are:

- To confirm or invalidate any assumption regarding the occurrence and impact of potential effect(s) of the GMO(s) which was/were identified in the environmental risk assessment.
- To identify effect(s) of the GMO(s) which was/were not anticipated in the environmental risk assessment.

#### The observed **effect(s)/interaction(s)** of the GMO(s)

- With respect to any risk to human health,
- With respect to any risk to the environment

Shall be reported under this section.

Particular attention shall be drawn to unexpected and unintended effect(s).

Indications as regards the effects, that the notifier may have to report, are provided hereunder. The effects have obviously to be considered in the light of the crop, the new trait, the receiving environment as well as the conclusions of the environmental risk assessment, which is carried out on a case-by-case basis.

In order to structure the information and to facilitate and efficient search within the given information, the notifier shall use, as far as possible, specific keywords to fill in the text fields under Chapter 6, especially sections 6.4.2, 6.4.3 and 6.4.4. A most updated list of those specific keywords is available on the Internet at: <a href="http://gmoinfo.jrc.it">http://gmoinfo.jrc.it</a>.

#### 6.4.2 Expected effect(s)

This section concerns « expected effects », that is to say, potential effects which were already identified in the environmental risk assessment of the notification and could therefore be anticipated.

Notifiers should supply data from the deliberate release(s) which validate the assumptions made in the environmental risk assessment.

The potential reduction in the control of some Lepidoptera pests, in case the target insects are able to develop resistance to the protein expressed in the genetically modified maize 1507, has been identified, in the environmental risk assessment of the notification, as the only potential risk that can be result of the interaction between the genetically modified maize and the target pests. In the trials carried out it was not detected any resistance development in the target insects. This confirm that in the case of the trials carried out the probability that this potential negative effect could happen is null, taking into account the small surface that the trial occupied.

#### 6.4.3 Unexpected effect(s)<sup>5</sup>

"Unexpected effects" refer to effects on human health or the environment which were not foreseen or identified in the environmental risk assessment of the notification. This part of the report should contain any information with regard to unexpected effects or observations relevant for the initial environmental risk assessment. In case of any observed unexpected effects or observations, this section should be as detailed as possible to allow a proper interpretation of the data.

Neither damage nor any kind of negative effects on human health or environment were observed.

#### 6.4.4 Other information

Notifiers are encouraged to supply information, which is outside the scope of the notification but which might be relevant to the field trials in question. This may also include observations of beneficial effects.

Nothing

#### 7 Conclusion

In this chapter, the notifier should specify the conclusions drawn and the measures taken or to be taken on the basis of the results of the release with regard to further release(s) and where appropriate, make reference to any kind of product the notifier intends to notify at a later stage.

In the case of the release, all the control measures were taken to avoid the spreading of pollen and grains of the genetically modified maize plants.

No negative effect of any kind has been observed that has or could have effects on the human health or the environment.

No risk for the human health or the environment has been identified as a result of the deliberate release of the genetically modified maize in these trials.

The proposed measures in the notification and the control measures taken seem to be consistent with the aim of assuring the environment and human health safety.

DATE: January 9<sup>th</sup>, 2007


-

<sup>&</sup>lt;sup>5</sup> Without prejudice to Article 8 OF Directive 2001/18/EC as regards handling of modifications or new information.

## Location: La Rinconada (Sevilla)


1	2	ω	4	5	စ	7	œ	9	10	1	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	3	32	33	
			Т		Т				В	orde	er								Γ		П				Т		Г		Γ		Γ		106
																																	105
		PI	ots	with	hyb	orids	s 15	07,	NK	603,	1507	7xN	K60	3, N	IK60	)3xN	NON	1810	), an	d no	on g	gene	etica	lly n	nodi	fied	mai	ze					104
	L																																103
																																	102
																																	101
1	2	3	4	5	6	7	<b>œ</b>	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	

Location: Marchena(Sevilla)



#### ANNEX 1: Field Layout

#### Location: Zuera (Zaragoza)



## ANNEX 1: Field Layout

Location: Gurrea de Gállego (Huesca)

8	<sub>ل</sub> ى		(II	6		_	9	_	_	12	_	_	
10	ω	-	O1	Ο,	7	ω	u	0	_	2	ω	4	
		1	Во	rde	r					Γ		Γ	129
													128
												Γ	127
		<u> </u>											126
													125
													124
													123
		ļ											122
													121
													120
 													119
						450	<b>7</b> NI	1/000					118
 	150	ts w )7xl	vith r NK60	1ybi 03,	rias NK6	150 03x	7, N :MO	K603 N810	, ,			L	117
 			κNK									L	116
	591 ger	22) etic	kNK6 cally	303 mo	x15( difie	)7, a d m	and aize	non				L	115
													114
										Γ		Γ	113
													112
												Γ	111
													110
													109
													108
													107
													106
													105
										Γ			104
													103
													102
													101
 2	ဒ	4	5	6	7	8	9	10	11	12	13	14	

Location: Alguaire (Lérida)

1	1				l		ı	ŧ	ŧ				ŀ	1	i	:	ŀ		
	_	2	З	4	5	6	7	œ	9	10	3	12	13	14	15	16	17	18	
125					Во	rde	r												125
124																			124
123																			123
122																			122
121																			121
120																			120
119																			119
118																			118
117																			117
116	ſ			Ì						-		-		-	$\exists$			-	116
115																			115
114																			114
113					Plo	ots v	with	hybri	ds 1	507									113
112					Nk	(60:	3, 15	507x <b>l</b>	NK60	)3,									112
111					Nk	(60	3xM	ON8	10, a	nd r	non								111
110					ge	neti	cally	/ mod	dified	l ma	ize								110
109																			109
108																			108
107																			107
106																			106
105																			105
104					\$														104
103					Ç	Ç													103
102																			102
101					L		L												101
	_	2	သ	4	Çī	6	7	<b>&amp;</b>	9	10	÷_	12	13	14	15	16	<u> </u>	18	
				_	-	-	•			0	_	~	ω	4	ы	တ	7	æ	


Location: San Martín de la Vega (Madrid)

	_	2	ω	4	5	6	7	8	9	10	1	12	13	14	15	16	17	18	19	
120								Вс	rde	r				1						120
119						٦													Π.	119
118																				118
117			Plo	ots v	vith	hyb	rids	3 15	507	, Nk	(603	3, 1	507>	NK	603					117
116				(603 aize	3xM	ON	310	, ar	nd r	non	gen	etic	ally	mod	difie	d				116
115																			J	115
114										П										114
113																				113
112			Plo	ots v	vith	hyb	rids	3 15	507	, Nk	(603	3, 1	507>	NK	603,					112
111	L			(603 aize	BxM	ON	310	, ar	nd r	on	gen	etic	ally	mod	difie	b				111
110																				110
109																				109
108																				108
107												,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								107
106																				106
105																				105
104																				104
103																				103
102																				102
101																				101
	7	N	ယ	4	51	တ	7	œ	9	6	1	12	13	14	15	16	17	18	19	

Location: Alpera (Albacete)

	_	2	သ	4	5	6	7	œ	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
114							Во	rde	r														114
113	L														L								113
112																							112
111	L														L								111
110																							110
109						Р	ots	with	hyb	orids	150	07,		111111111111111111111111111111111111111									109
108						N	K60	3, 1	507	xNK	603	,											108
107											, and						ı						107
106	L														L	J						J	106
105																							105
104	ſ														Γ	1	Γ					1	104
103																							103
102								A		A		A											102
101																							101
	_	2	ω	4	Q1	6	7	œ	9	16	⇉	12	13	14	15	16	1	₩	19	20	2	22	

Location: Pelabravo (Salamanca)



Location: Llamas de la Ribera (León)

	_	2	ω	4	۲ <sub>1</sub>	6	7	<b>∞</b>	9	10	⇉	12	13	14	15	16	17	18	19	20	
123									Вс	orde	r										123
122																	L				122
121										9											121
120																	L				120
119																					119
118																					118
117																	L				117
116																					116
115							L		L		L		L	J	L						115
114																					114
113				1							)7, N xMC						Γ			1	113
112					59	122	xNk	(603	3, 15	507x	591	22,									112
111							xNk ed r			607,	and	nor	n ge	neti	cally	'	Т				111
110																					110
109																					109
108																					108
107																					107
106	L			J													L			J	106
105																					105
104																					104
103																					103
102																					102
101					Γ	1	Γ	1	Γ	1	Γ	1	Γ	1		1	Γ		Γ		101
	_	2	ω	4	5	6	7	8	9	10	⇉	12	13	14	15	16	17	18	19	20	

Location: Santa Uxía de Ribeira (La Coruña)

	1	2	ω	4	5	6	7	œ	9	10	1	12	13	14	15	16	17	18	
110							Во	rde	r	: :		:							11(
109															L				109
108																			108
107					חום	· • • •	:+h	hh	rids	150	17 N	II/C	ഹ						107
						115 \						งทา	U.S.					A	
106									NK						L				100
					15 15	07x 07x	NK6 591	603, 22,	NK and	603	xMC	8M	10,	,					
106 105 104					15 15	07x 07x	NK6	603, 22,	NK and	603	xMC	8M	10,	,					10
105					15 15	07x 07x	NK6 591	603, 22,	NK and	603	xMC	8M	10,						10: 10:
105 104					15 15	07x 07x	NK6 591	603, 22,	NK and	603	xMC	8M	10,						104 104 103
105 104 103					15 15	07x 07x	NK6 591	603, 22,	NK and	603	xMC	8M	10,						100 104 103 103 103

Location: Mesía (La Coruña)

	_	2	ω	4	5	6	7	œ	9	10	1	12	13	14	15	16	17	18	
110							Во	rde	r										110
109															L				109
108																			108
107					DI-		.:	اد داد		-07	NIIZ								107
106									ds 1 NK										100
					15 15	07x 07x	NK6 591	603, 22,	NK and	603	xMC	)N8	10,	,					
105					15 15	07x 07x	NK6	603, 22,	NK and	603	xMC	)N8	10,	,					10
105 104					15 15	07x 07x	NK6 591	603, 22,	NK and	603	xMC	)N8	10,						10: 10:
106 105 104 103 102					15 15	07x 07x	NK6 591	603, 22,	NK and	603	xMC	)N8	10,						104 104 103
105 104 103					15 15	07x 07x	NK6 591	603, 22,	NK and	603	xMC	)N8	10,		         		         		106 105 104 103 102